

Please REPLACE claims 1-13, 15-18, and 20-23 and ADD new claims 24-65 in accordance with the following:

- Sub  
C17  
B' S
1. (AS ONCE AMENDED) A display device for displaying hypertext data including link information indicating an existence of a link to other data, comprising:
    - a designating unit designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;
    - a first information acquiring unit acquiring information showing a location of the displayed hypertext data including the informing data designated by the designating unit;
    - a second information acquiring unit acquiring the link information specified by the informing data designated by the designating unit;
    - a storage unit storing the location information acquired by the first information acquiring unit and the link information acquired by the second information acquiring unit for the correspondence to each other; and
    - a data acquiring unit acquiring the hypertext data from the location according to the location information and the other data indicated by the link information, both the location information and the link information are stored in the storage unit.
  2. (AS ONCE AMENDED) A display device according to claim 1, further comprising:
    - a data storage unit storing the hypertext data and the other data acquired by the data acquiring unit.
  3. (AS ONCE AMENDED) A display device according to claim 1, further comprising:
    - an event generating unit generating an event at an appointed time,
    - wherein the data acquiring unit acquires the hypertext data from the location according to the location information and the other data indicated by the link information when the event generating unit generates the event.
  4. (AS ONCE AMENDED) A hypertext display device according to claim 1, further comprising:
    - a communication unit to connect with a network; and

an event generating unit generating an event on condition that the communication unit having connected with the network,

wherein when the event is generated by the event generating unit, the data acquiring unit acquires the hypertext data from the location according to the location information and the other data indicated by the link information.

5. (AS ONCE AMENDED) A display device according to claim 1, further comprising:

an event detecting unit detecting an event,

wherein when the event detecting unit detects the event, the data acquiring unit acquires the hypertext data from the location according to the location information and other data indicated by the link information.

5/27 6. (AS ONCE AMENDED) A method for displaying hypertext data including link information indicating an existence of a link to other data, comprising:

designating informing data corresponding to the link information for the other data to be acquired from among informing data which show the presence of link information in the hypertext data displayed on a display;

acquiring information which shows a location of the displayed hypertext data including the designated informing data;

acquiring link information specified by the designated informing data;

storing the acquired location information and the acquired link information of the hypertext data for the correspondence to each other; and

acquiring the hypertext data from the location according to the stored location information and the other data indicated by the stored link information.

7. (AS ONCE AMENDED) A display system comprising:

at least two information processing devices constituting a display device for displaying hypertext data including link information indicating an existence of a link to the other data,

a first information processing device comprising:

a designating unit designating informing data to be acquired from among informing data showing the presence of link information in hypertext data displayed on a display;

first information acquiring unit acquiring information showing a location of the displayed hypertext data including the informing data designated by the designating unit;  
 a second information acquiring unit acquiring the link information specified by the informing data designated by the designating unit; and  
 a transmitting unit transmitting the location information acquired by the first information acquiring unit and the link information of the hypertext data acquired by the second information acquiring unit to a second information processing device, and  
 the second information processing device comprising:  
 a receiving unit receiving the location information and the link information of the hypertext data which have been transmitted from the first information processing device; and  
 a data acquiring unit acquiring the hypertext data from the location according to the received location information and the other data indicated by the link information according to the received link information.

8. (AS ONCE AMENDED) A display system according to claim 7, wherein the first information processing device further comprising:

a storage unit storing the location information acquired by the first information acquiring unit and the link information acquired by the second information acquiring unit for the correspondence to each other,

wherein the transmitting unit transmits the location information and the link information of the hypertext data both stored in the storage unit to the second information processing device.

9. (AS ONCE AMENDED) A display system according to claim 7, wherein the second information processing device further comprising:

a storage unit storing the location information and the link information both received by the receiving unit for the correspondence to each other,

wherein the data acquiring unit acquires the hypertext data from the location according to the location information and the other data indicated by the link information.

Sub C3 10. (AS ONCE AMENDED) A storage medium for a computer on which a program for displaying hypertext data including link information indicating an existence of a link to other data is stored, said program when executed by the computer causes the computer to execute

the functions comprising:

designating informing data corresponding to the link information for the other data to be acquired from among informing data which shows the presence of link information in the hypertext data displayed on a display;

acquiring information which shows a location of the hypertext data displayed including the designated informing data;

acquiring link information specified by the designated informing data;

storing the acquired location information and the acquired link information of the hypertext data for the correspondence to each other; and

acquiring the hypertext data from a location according to the stored location information and the other data indicated by the stored link information.

B<sup>1</sup> 11. (AS ONCE AMENDED) A display device for displaying hypertext data including link information indicating an existence of a link to other data, comprising:

a designating unit designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;

a judging unit judging whether the other data should be acquired based on the link information designated by the designating unit; and

a controlling unit acquiring the other data according to the designated link information when it is judged that the other data should be acquired, and storing the designated link information in designated information storage unit when it is judged that the other data should not be acquired.

12. (AS ONCE AMENDED) A display device according to claim 11, further comprising:

a specific information storage unit storing specific link information,

wherein the judging unit judges that the other data should be acquired when the designated link information agree with the specific link information stored in the specific information storage unit, and judges that the other data should not be acquired when the designated link information do not agree with the specific link information.

13. (AS ONCE AMENDED) A display device according to claim 12, further

comprising:

a data storing unit storing the other data,  
wherein the specific link information stored in the specific information storage unit is link information indicating an existence of a link to the other data stored in the data storage unit.

14. CANCEL

15. (AS ONCE AMENDED) A display device according to claim 11, further comprising:

a communication unit to connect with a network;  
an event generating unit generating an event on condition that the communication unit having connected with the network; and  
a data acquiring unit acquiring the other data from the location according to the link information stored in the designated information storage unit when the event generating unit generates the event.

16. (AS ONCE AMENDED) A display device according to claim 11, further comprising:

an event detecting unit detecting an event; and  
a data acquiring unit acquiring the other data from the location according to the link information stored in the designated information storage unit when the event detecting unit detects the event.

sws 17. (AS ONCE AMENDED) A display device for displaying hypertext data including link information indicating an existence of a link to other data, comprising:

a specific information storage unit storing first specific link information and second specific link information;  
a designating unit designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;  
a selecting unit selecting either the first specific link information or the second specific information stored in the specific information storage unit;  
a judging unit judging whether the link information designated by the designating unit

agree with the specific link information selected by the selecting unit; and

a controlling unit acquiring the other data according to the designated link information when it is judged that the designated link information agree with the selected specific link information, and storing the designated link information in a designated information storage unit when it is judged that the designated link information do not agree with the selected specific link information.

18. (AS ONCE AMENDED) A display device according to claim 17, further comprising:

a data storing unit storing the other data,

wherein the first specific link information is link information indicating an existence of a link to the other data stored in the data storing unit and the second specific link information is link information indicating an existence of a link to the other data present on a network

19. CANCEL

20. (AS ONCE AMENDED) A display device according to claim 17, further comprising:

a communication unit to connect with a network;

an event generating unit generating an event on condition that the communication unit having connected with the network; and

a data acquiring unit acquiring the other data from the location according to the link information stored in the designated information storage unit when the event generating unit generates the event.

21. (AS ONCE AMENDED) A display device according to claim 17, further comprising:

an event detecting unit detecting an event; and

a data acquiring unit acquiring the other data from the location according to the link information stored in the designated information storage unit when the event detecting unit detects the event.

Sub C5 22. (AS ONCE AMENDED) A method for displaying hypertext data including link

information indicating an existence of a link to appointed information, comprising:

designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;

judging whether the other data should be acquired based on the link information designated by the designating; and

acquiring the other data according to the designated link information when it is judged that the other data should be acquired, and storing the designated link information in designated information storage when it is judged that the other data should not be acquired.

B<sup>1</sup> 23. (AS ONCE AMENDED) A storage medium for a computer on which a program for displaying hypertext data including link information from the hypertext data to other data, said program when executed by the computer causes the computer to execute the functions comprising:

designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;

judging whether the other data should be acquired based on the link information designated by the designating; and

acquiring the other data according to the designated link information when it is judged that the other data should be acquired, and storing the designated link information in designated information storage when it is judged that the other data should not be acquired.

Please ADD the following new claims 24-65:

24. (AS NEW) The method according to claim 6, further comprising:  
storing the hypertext data and the other data acquired by the acquiring.

B<sup>2</sup> 25. (AS NEW) The method according to claim 6, further comprising:  
generating an event at an appointed time, wherein the acquiring acquires the hypertext data from the location according to the location information and the other data indicated by the link information when the event is generated.

26. (AS NEW) The method according to claim 6, further comprising:  
connecting with a network; and  
generating an event on condition of connecting with the network,  
wherein when the event is generated, the acquiring acquires the hypertext data from the location according to the location information and the other data indicated by the link information.

b 27. (AS NEW) The method according to claim 6, further comprising:  
detecting an event,  
wherein when the detecting detects the event, the acquiring acquires the hypertext data from the location according to the location information and other data indicated by the link information.

c 28. (AS NEW) A method of displaying hypertext data including link information indicating an existence of a link to the other data, the method comprising:  
designating by a first information processing device informing data to be acquired from among informing data showing the presence of link information in hypertext data displayed on a display;  
acquiring by the first information processing device information showing a location of the displayed hypertext data including the informing data designated by the designating;  
acquiring by the first information processing device the link information specified by the informing data designated by the designating;  
transmitting by the first information processing device the location information acquired and the link information of the hypertext data acquired;  
receiving by a second information processing device the location information and the link information of the hypertext data which have been transmitted; and  
acquiring by the second information processing device the hypertext data from the location according to the received the location information and the other data indicated by the link information according to the received link information.

29. (AS NEW) The method according to claim 28, further comprising:  
storing by the first information processing device the location information acquired and



the link information acquired for the correspondence to each other,  
wherein the transmitting transmits the location information and the link information of the  
hypertext data both stored to the second information processing device.

30. (AS NEW) The method according to claim 28, further comprising:  
storing by the second information processing device the location information and the link  
information both received for the correspondence to each other,  
wherein the acquiring acquires the hypertext data from the location according to the  
location information and the other data indicated by the link information.

31. (AS NEW) The method according to claim 22, further comprising:  
storing specific link information,  
wherein the judging judges that the other data should be acquired when the designated  
link information agree with the specific link information stored, and judges that the other data  
should not be acquired when the designated link information do not agree with the specific link  
information.

32. (AS NEW) The method according to claim 31, further comprising:  
storing the other data,  
wherein the specific link information stored is link information indicating an existence of  
a link to the other data stored.

33. (AS NEW) The method according to claim 22, further comprising:  
connecting with a network;  
generating an event on condition of having connected with the network; and  
acquiring the other data from the location according to the link information stored when  
the generating generates the event.

34. (AS NEW) The method according to claim 22, further comprising:  
detecting an event; and  
acquiring the other data from the location according to the link information stored when  
the detecting detects the event.

C1 35. (AS NEW) A method of displaying hypertext data including link information indicating an existence of a link to other data, comprising:  
storing first specific link information and second specific link information;  
designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;  
selecting either the first specific link information or the second specific information stored;  
judging whether the link information designated agree with the specific link information selected; and  
acquiring the other data according to the designated link information when it is judged that the designated link information agree with the selected specific link information, and storing the designated link information when it is judged that the designated link information do not agree with the selected specific link information.

36. (AS NEW) The method according to claim 35, further comprising:  
storing the other data,  
wherein the first specific link information is link information indicating an existence of a link to the other data stored and the second specific link information is link information indicating an existence of a link to the other data present on a network

37. (AS NEW) The method according to claim 35, further comprising:  
connecting with a network;  
generating an event on condition of having connected with the network; and  
acquiring the other data from the location according to the link information stored when the generating generates the event.

38. (AS NEW) The method according to claim 35, further comprising:  
detecting an event; and  
acquiring the other data from the location according to the link information stored when the detecting detects the event.

39. (AS NEW) The medium according to claim 10, further comprising:

storing the hypertext data and the other data acquired by the acquiring.

40. (AS NEW) The medium according to claim 10, further comprising:  
generating an event at an appointed time, wherein the acquiring acquires the  
hypertext data from the location according to the location information and the other data  
indicated by the link information when the event is generated.

41. (AS NEW) The medium according to claim 10, further comprising:  
connecting with a network; and  
generating an event on condition of connecting with the network,  
wherein when the event is generated, the acquiring acquires the hypertext data from the  
location according to the location information and the other data indicated by the link  
information.

42. (AS NEW) The medium according to claim 10, further comprising:  
detecting an event,  
wherein when the detecting detects the event, the acquiring acquires the  
hypertext data from the location according to the location information and other data indicated  
by the link information.

68 } 43. (AS NEW) A computer-readable medium storing a program displaying hypertext  
data including link information indicating an existence of a link to the other data, the program  
when executed by a computer causes the computer to execute the functions comprising:  
designating by a first information processing device informing data to be acquired  
from among informing data showing the presence of link information in hypertext data displayed  
on a display;  
acquiring by the first information processing device information showing a  
location of the displayed hypertext data including the informing data designated by the  
designating;  
acquiring by the first information processing device the link information specified  
by the informing data designated by the designating;  
transmitting by the first information processing device the location information  
acquired and the link information of the hypertext data acquired;

receiving by a second information processing device the location information and the link information of the hypertext data which have been transmitted; and

acquiring by the second information processing device the hypertext data from the location according to the received the location information and the other data indicated by the link information according to the received link information.

44. (AS NEW) The medium according to claim 43, further comprising:  
storing by the first information processing device the location information acquired and the link information acquired for the correspondence to each other,  
wherein the transmitting transmits the location information and the link information of the hypertext data both stored to the second information processing device.

45. (AS NEW) The medium according to claim 43, further comprising:  
storing by the second information processing device the location information and the link information both received for the correspondence to each other,  
wherein the acquiring acquires the hypertext data from the location according to the location information and the other data indicated by the link information.

46. (AS NEW) The medium according to claim 23, further comprising:  
storing specific link information,  
wherein the judging judges that the other data should be acquired when the designated link information agree with the specific link information stored, and judges that the other data should not be acquired when the designated link information do not agree with the specific link information.

47. (AS NEW) The medium according to claim 46, further comprising:  
storing the other data,  
wherein the specific link information stored is link information indicating an existence of a link to the other data stored.

48. (AS NEW) The medium according to claim 23, further comprising:  
connecting with a network;  
generating an event on condition of having connected with the network; and

acquiring the other data from the location according to the link information stored when the generating generates the event.

49. (AS NEW) The medium according to claim 23, further comprising:  
detecting an event; and  
acquiring the other data from the location according to the link information stored when the detecting detects the event.

50. (AS NEW) A computer-readable medium storing a program displaying hypertext data including link information indicating an existence of a link to other data, said program when executed by a computer causes the computer to execute the functions comprising:  
storing first specific link information and second specific link information;  
designating informing data corresponding to the link information for the other data to be acquired from among informing data showing the presence of link information in the hypertext data displayed on a display;  
selecting either the first specific link information or the second specific information stored;  
judging whether the link information designated agree with the specific link information selected; and  
acquiring the other data according to the designated link information when it is judged that the designated link information agree with the selected specific link information, and storing the designated link information when it is judged that the designated link information do not agree with the selected specific link information.

51. (AS NEW) The medium according to claim 50, further comprising:  
storing the other data,  
wherein the first specific link information is link information indicating an existence of a link to the other data stored and the second specific link information is link information indicating an existence of a link to the other data present on a network

52. (AS NEW) The medium according to claim 50, further comprising:  
connecting with a network;  
generating an event on condition of having connected with the network; and

acquiring the other data from the location according to the link information stored when the generating generates the event.

53. (AS NEW) The medium according to claim 50, further comprising:  
detecting an event; and  
acquiring the other data from the location according to the link information stored when the detecting detects the event.

54. (AS NEW) The display system according to claim 1, wherein the link is a hypertext link.

55. (AS NEW) The method according to claim 6, wherein the link is a hypertext link.

56. (AS NEW) The display system according to claim 7, wherein the link is a hypertext link.

57. (AS NEW) The medium according to claim 10, wherein the link is a hypertext link.

58. (AS NEW) The display device according to claim 11, wherein the link is a hypertext link.

59. (AS NEW) The display device according to claim 17, wherein the link is a hypertext link.

60. (AS NEW) The method according to claim 22, wherein the link is a hypertext link.

61. (AS NEW) The medium according to claim 23, wherein the link is a hypertext link.

62. (AS NEW) The method according to claim 28, wherein the link is a hypertext link.

63. (AS NEW) The method according to claim 35, wherein the link is a hypertext link.

64. (AS NEW) The medium according to claim 43, wherein the link is a hypertext link.

65. (AS NEW) The medium according to claim 50, wherein the link is a hypertext link.